

Додаток Б

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Випадки*	Грубий	Станд.	Похибка
Всі злоякісні новоутворення																				C00-C96			
▼	5.6	4.6	4.5	3.4	3.7	6.1	7.6	11.9	29.1	60.7	131.0	264.8	468.7	689.2	983.6	1043.6	1179.8	1010.6	848.6	37102	220.4	147.8	0.8
▲	8.4	6.1	3.7	1.9	3.6	5.2	9.5	20.7	36.6	64.9	108.0	157.4	222.5	311.2	417.0	422.8	505.8	441.4	346.4	28915	148.8	75.8	0.5
Всі злоякісні новоутворення (за виключенням немеланомних ЗН шкіри)																				C00-C96 (за винятком C44, C46.0)			
▼	5.6	4.6	4.5	3.4	3.7	6.1	7.6	11.9	28.9	60.5	130.5	263.6	467.1	687.7	978.8	1036.8	1169.7	997.4	826.2	36884	219.1	146.9	0.8
▲	8.4	6.1	3.7	1.9	3.6	5.2	9.5	20.7	36.5	64.7	107.8	157.2	222.1	310.5	415.5	419.9	501.4	433.3	332.0	28710	147.8	75.5	0.5
ЗН губи																				C00			
▼	-	-	-	-	-	-	-	-	-	-	0.1	0.2	1.2	1.2	1.6	3.5	5.3	6.6	8.0	100	0.6	0.4	0.0
▲	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.5	0.7	1.5	2.2	29	0.1	0.0	0.0
ЗН ротової порожнини																				C01-C08, C46.2			
▼	-	-	-	-	-	0.1	0.1	0.7	1.3	3.1	8.7	15.9	25.9	28.7	30.0	18.4	14.4	13.7	4.0	1280	7.6	5.3	0.2
▲	-	-	-	-	-	-	0.1	-	0.4	0.4	0.5	1.4	1.7	2.4	2.9	3.1	4.0	5.0	5.3	232	1.2	0.6	0.0
ЗН глотки																				C09-C14			
▼	-	-	-	0.1	-	0.3	0.1	0.2	1.1	3.7	7.9	19.9	28.6	32.1	34.2	23.8	20.8	10.4	4.0	1457	8.7	6.0	0.2
▲	-	-	-	-	-	-	-	0.1	0.6	0.5	1.0	1.2	0.8	1.3	1.6	0.7	1.0	0.9	0.7	115	0.6	0.4	0.0
ЗН стравоходу																				C15			
▼	-	-	-	-	-	-	-	0.1	0.6	1.7	6.4	11.8	20.8	28.8	30.8	26.0	19.2	14.2	8.8	1178	7.0	4.9	0.1
▲	-	-	-	-	-	-	-	-	0.1	0.2	0.8	0.5	1.6	1.8	1.1	1.6	3.1	2.6	1.0	136	0.7	0.3	0.0
ЗН шлунка																				C16			
▼	-	-	-	-	0.1	0.1	0.5	0.9	2.9	6.7	14.4	28.2	42.8	67.9	101.4	104.4	132.2	107.4	89.6	3770	22.4	14.8	0.2
▲	-	-	-	-	-	0.4	0.6	1.1	2.6	4.9	6.5	10.3	14.2	23.0	31.7	38.5	47.6	39.8	26.4	2255	11.6	5.5	0.1
ЗН тонкого кишківника																				C17			
▼	-	-	-	-	-	-	-	-	0.1	0.3	0.5	0.7	1.4	1.9	2.1	3.3	1.5	1.6	0.8	91	0.5	0.4	0.0
▲	-	-	-	-	-	-	0.1	0.1	-	0.2	0.3	0.3	0.7	0.9	1.3	1.2	0.8	0.9	0.7	73	0.4	0.2	0.0
ЗН ободової кишки																				C18			
▼	-	-	-	-	-	-	0.3	0.8	0.8	2.8	4.5	11.6	22.0	39.3	64.3	77.8	108.8	106.8	92.8	2422	14.4	9.2	0.2
▲	-	-	-	-	0.1	0.3	0.5	0.9	0.9	2.3	4.3	7.6	13.4	26.3	37.4	39.8	56.3	53.6	37.7	2417	12.4	5.5	0.1
ЗН прямої кишки, ануса																				C19-C21			
▼	-	-	-	-	-	0.1	0.2	0.4	1.2	3.3	5.1	10.8	21.2	39.8	64.5	78.2	89.8	87.1	67.2	2270	13.5	8.8	0.2
▲	-	-	-	-	-	0.2	0.3	0.4	0.8	2.0	3.9	7.5	14.6	21.4	26.4	32.4	43.6	40.0	31.2	1966	10.1	4.5	0.1
ЗН печінки та внутрішньопечінкових жовчних протоків																				C22			
▼	0.9	0.2	-	0.1	0.1	0.2	0.1	0.1	0.4	1.0	2.7	5.9	8.0	11.1	15.4	14.4	16.8	13.7	8.8	596	3.5	2.4	0.1
▲	-	-	-	-	-	0.2	0.1	0.2	0.4	0.5	1.0	1.6	3.2	4.0	7.1	7.1	8.6	7.2	5.0	418	2.2	1.0	0.1
ЗН жовчного міхура та позапечінкових жовчних протоків																				C23-C24			
▼	-	-	-	-	-	0.1	-	0.1	0.2	0.3	0.8	1.7	2.3	4.4	6.4	8.1	10.0	5.5	9.6	249	1.5	1.0	0.1
▲	-	-	-	-	-	-	-	0.1	0.1	0.5	0.6	1.4	2.6	5.2	6.2	7.4	8.9	6.3	4.6	401	2.1	0.9	0.1
ЗН підшлункової залози																				C25			
▼	-	0.1	-	-	-	0.2	0.1	0.3	2.1	3.8	7.9	15.3	26.0	36.2	45.6	47.6	52.9	46.0	33.6	1851	11.0	7.4	0.2
▲	-	0.1	-	-	-	-	0.1	0.1	0.6	1.1	3.7	5.1	8.1	16.8	23.2	28.6	34.8	26.7	26.6	1524	7.8	3.5	0.1

“-” - випадків не зареєстровано; 0.0 - показник менший за 0.05

* - кількість випадків не охоплює дані Донецької, Луганської областей, АР Крим та м. Севастополь

Додаток Б - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Випадки*	Грубий	Станд.	Похибка			
ЗН носової порожнини, придаткових пазух та середнього вуха																							C30-C31			
▼	-	-	-	-	-	0.2	0.1	0.1	0.2	0.3	1.0	1.1	2.2	2.0	3.5	2.0	2.0	2.7	1.6	126	0.7	0.5	0.0			
▲	-	-	-	0.1	-	-	0.1	-	-	0.4	-	0.6	0.3	0.5	0.4	1.0	1.5	0.9	1.0	61	0.3	0.2	0.0			
ЗН гортані																							C32			
▼	-	-	-	-	-	-	-	-	0.2	1.4	5.5	10.3	19.5	25.2	31.5	31.0	23.2	17.0	7.2	1140	6.8	4.6	0.1			
▲	-	-	-	-	-	-	-	-	-	0.1	0.2	0.1	0.2	0.2	0.3	0.3	0.7	0.9	1.2	32	0.2	0.1	0.0			
ЗН трахеї, бронхів, легені																							C33-C34			
▼	-	-	-	-	-	0.1	0.4	0.5	3.0	9.6	23.5	60.3	124.7	185.6	246.7	247.8	249.5	171.4	110.4	8523	50.6	33.9	0.4			
▲	-	-	-	-	-	0.1	0.1	1.0	1.0	2.8	4.7	7.6	13.7	16.9	24.9	27.2	31.7	35.7	27.1	1712	8.8	4.1	0.1			
ЗН тимуса																							C37			
▼	-	-	-	-	-	0.1	-	-	0.2	-	0.3	0.2	0.5	0.4	0.2	0.2	0.2	-	-	22	0.1	0.1	0.0			
▲	-	-	-	-	-	-	-	-	-	0.4	0.2	0.1	0.1	0.2	0.1	0.1	0.1	-	-	18	0.1	0.1	0.0			
ЗН серця, межистіння																							C38 (за винятком C38.4)			
▼	-	0.1	-	0.1	-	0.1	0.1	0.1	0.2	0.4	0.5	0.7	1.1	0.4	2.2	2.0	1.5	1.1	0.8	77	0.5	0.3	0.0			
▲	0.5	0.3	0.4	-	-	-	-	0.3	0.1	0.1	0.2	0.3	0.4	0.3	0.3	0.8	0.8	0.4	-	50	0.3	0.2	0.0			
ЗН плеври																							C38.4, C45.0			
▼	-	-	-	-	-	-	0.1	0.1	0.1	0.2	0.9	0.8	1.0	2.4	1.0	1.7	1.5	2.2	1.6	86	0.5	0.4	0.0			
▲	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.1	0.3	0.5	0.2	0.9	0.9	1.3	0.5	43	0.2	0.1	0.0			
ЗН кісток та суглобових хрящів																							C40-C41			
▼	-	-	0.1	-	0.9	0.5	0.3	0.1	0.2	0.9	0.9	0.6	1.6	1.3	3.5	1.5	2.2	1.1	-	123	0.7	0.6	0.1			
▲	-	0.1	-	0.3	0.9	0.4	0.1	0.3	0.2	0.4	0.6	0.3	0.4	0.8	1.2	0.3	0.8	1.1	0.5	88	0.5	0.4	0.0			
Меланома шкіри																							C43			
▼	-	-	-	-	-	0.1	0.3	0.7	1.5	2.3	3.0	2.9	5.3	8.4	10.6	9.2	10.0	9.9	10.4	456	2.7	1.9	0.1			
▲	-	-	-	-	0.2	0.2	0.4	0.6	1.4	2.1	2.2	4.0	4.5	4.2	6.5	5.2	5.6	6.3	5.3	484	2.5	1.4	0.1			
Інші ЗН шкіри																							C44, C46.0			
▼	-	-	-	-	-	-	0.1	-	0.2	0.2	0.5	1.2	1.6	1.5	4.8	6.8	10.2	13.1	22.4	218	1.3	0.8	0.1			
▲	-	-	-	-	-	-	-	-	0.1	0.2	0.2	0.3	0.4	0.7	1.5	2.9	4.4	8.1	14.4	205	1.1	0.4	0.0			
Мезотеліома (за викл. мезотеліоми плеври)																							C45.1-9			
▼	-	-	-	-	-	-	-	-	0.1	-	-	0.1	0.1	0.1	0.2	0.2	-	-	-	6	0.0	0.0	0.0			
▲	-	-	0.1	-	-	-	-	0.1	-	-	0.1	-	0.1	0.2	0.5	0.5	0.1	0.2	-	19	0.1	0.1	0.0			
ЗН заочеревинного простору та очеревини																							C48			
▼	-	0.4	0.5	0.1	0.1	-	-	-	0.2	0.8	0.5	1.6	1.8	2.6	2.7	3.1	2.2	3.8	2.4	143	0.8	0.6	0.1			
▲	1.0	1.1	0.3	0.1	0.1	0.1	0.1	0.3	0.4	0.4	0.3	0.9	1.3	1.5	1.8	2.2	3.2	2.2	0.7	168	0.9	0.6	0.1			
ЗН сполучної та м'якої тканини																							C 46.1, C49			
▼	-	0.2	0.4	0.2	0.2	0.2	0.1	0.5	0.9	1.3	0.9	1.8	2.6	2.8	4.6	4.4	6.0	8.2	4.0	232	1.4	1.0	0.1			
▲	-	-	0.3	-	0.2	0.4	0.6	0.4	0.1	0.7	0.6	0.8	1.1	1.6	3.1	2.3	3.7	2.6	3.1	205	1.1	0.6	0.1			
ЗН молочної залози																							C50			
▼	-	-	-	-	-	-	-	-	-	0.2	-	0.2	0.3	1.3	1.3	0.7	2.2	2.2	3.2	48	0.3	0.2	0.0			
▲	-	-	-	-	-	0.1	1.2	3.8	6.7	15.5	28.7	40.9	52.5	69.9	84.9	74.8	84.7	70.9	64.6	5863	30.2	15.9	0.2			

"-" - випадків не зареєстровано; 0.0 - показник менший за 0.05

* - кількість випадків не охоплює дані Донецької, Луганської областей, АР Крим та м. Севастополь

Додаток Б - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Випадки*	Грубий	Станд.	Похибка	
ЗН вульви																							C51	
▲	-	-	-	-	-	-	-	0.1	0.1	-	0.2	0.7	0.7	1.4	3.4	5.2	7.8	8.3	7.7	268	1.4	0.5	0.0	
ЗН піхви																							C52	
▲	-	-	-	-	-	-	0.1	0.1	-	0.3	0.3	0.6	0.6	0.6	0.6	0.7	0.7	1.1	0.5	61	0.3	0.2	0.0	
ЗН шийки матки																							C53	
▲	-	-	-	-	-	0.1	1.2	3.9	8.9	12.9	14.0	15.6	16.0	14.9	16.2	13.2	13.1	14.4	8.9	1687	8.7	5.5	0.1	
ЗН тіла матки																							C54	
▲	-	-	-	-	-	-	0.1	0.3	0.5	1.4	3.7	7.6	13.3	19.6	30.8	28.2	27.6	20.3	14.4	1596	8.2	4.0	0.1	
ЗН матки неуточної частини																							C55	
▲	-	-	-	-	-	-	0.1	-	-	0.1	0.2	0.4	1.1	1.1	1.2	0.5	0.8	0.7	0.2	69	0.4	0.2	0.0	
ЗН яєчника																							C56	
▲	-	-	-	-	0.2	0.3	0.6	1.0	2.4	4.8	12.0	15.7	20.4	22.3	28.4	21.6	20.7	19.7	6.5	1862	9.6	5.4	0.1	
ЗН інших придатків матки																							C57	
▲	-	-	-	-	-	-	0.1	0.1	-	0.1	0.1	0.4	0.2	0.7	0.6	0.7	0.1	0.2	-	36	0.2	0.1	0.0	
ЗН плаценти																							C58	
▲	-	-	-	-	-	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	0.0	0.0	0.0	
ЗН статевого члена																							C60	
▼	-	-	-	-	-	-	-	0.1	0.2	0.1	0.4	0.3	0.7	0.9	2.2	2.0	2.7	1.6	3.2	70	0.4	0.3	0.0	
ЗН передміхурової залози																							C61	
▼	-	-	-	-	-	-	-	0.1	0.1	0.2	1.1	4.7	15.8	40.2	86.4	131.1	183.8	184.0	176.8	3149	18.7	11.4	0.2	
ЗН яєчка																							C62	
▼	-	-	-	-	0.2	0.4	0.5	0.7	1.2	0.9	1.3	1.1	0.7	0.5	1.0	0.7	0.9	0.5	0.8	107	0.6	0.5	0.0	
ЗН нирки																							C64	
▼	0.5	0.2	0.3	0.1	0.1	0.2	-	0.1	0.8	2.2	6.2	10.8	18.3	27.5	36.5	33.2	29.4	24.1	24.8	1295	7.7	5.3	0.2	
▲	2.0	0.4	-	-	0.1	-	-	0.1	0.4	0.5	1.8	2.7	4.7	7.5	11.1	10.8	11.9	10.3	8.4	646	3.3	1.6	0.1	
ЗН ниркової миски																							C65	
▼	-	-	-	-	-	-	-	-	-	0.1	-	0.2	0.2	0.3	0.3	0.7	0.9	1.6	3.2	25	0.1	0.1	0.0	
▲	-	-	-	-	-	-	-	0.1	-	-	-	-	0.2	0.3	0.1	0.2	0.6	-	-	17	0.1	0.0	0.0	
ЗН сечоводу																							C66	
▼	-	-	-	-	-	-	-	-	-	-	0.2	-	0.2	0.4	0.5	0.7	1.5	0.5	0.8	23	0.1	0.1	0.0	
▲	-	-	-	-	-	-	-	-	-	-	0.2	0.1	-	0.2	0.3	0.2	0.4	0.4	-	17	0.1	0.0	0.0	
ЗН сечового міхура																							C67	
▼	-	0.1	-	-	-	-	-	-	0.2	0.6	2.0	4.9	12.7	18.8	38.6	51.3	66.8	69.0	74.4	1405	8.3	5.3	0.1	
▲	-	-	-	-	-	-	0.1	-	0.1	0.2	0.6	0.7	0.6	1.7	3.2	3.8	5.5	4.8	8.2	225	1.2	0.5	0.0	
ЗН ока																							C69	
▼	-	0.1	0.1	-	-	-	0.1	0.1	0.1	0.1	0.4	0.4	0.6	0.9	1.0	0.4	0.9	-	0.8	43	0.3	0.2	0.0	
▲	0.5	0.4	-	-	0.1	-	0.1	-	0.1	0.2	0.2	0.5	0.6	0.8	1.0	0.6	1.1	0.7	0.5	69	0.4	0.2	0.0	

“-” - випадків не зареєстровано; 0.0 - показник менший за 0.05

* - кількість випадків не охоплює дані Донецької, Луганської областей, АР Крим та м. Севастополь

Додаток Б - продовження

Вік	0+	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	Випадки*	Грубий	Станд.	Похибка
ЗН мозкових оболонок та ін. відділів ЦНС																				C70-C72			
▼	1.4	0.9	1.4	0.8	0.8	0.8	1.3	1.5	2.3	3.7	5.0	9.2	11.1	13.0	11.9	9.6	6.9	2.7	5.6	742	4.4	3.4	0.1
▲	1.5	1.6	1.4	0.5	0.7	1.2	1.6	2.5	3.0	4.0	5.2	7.0	7.8	8.2	6.2	5.6	3.3	2.2	697	3.6	2.5	0.1	
з них: ЗН головного мозку																				C71			
▼	1.4	0.9	1.4	0.8	0.6	0.8	1.2	1.5	2.3	3.7	4.9	9.0	10.6	12.6	11.6	9.6	6.2	2.7	4.8	719	4.3	3.3	0.1
▲	1.5	1.6	1.4	0.4	0.5	0.6	1.1	1.6	2.2	2.9	3.9	5.0	6.9	7.8	8.1	6.1	5.5	3.1	1.9	677	3.5	2.5	0.1
ЗН щитовидної залози																				C73			
▼	-	-	-	-	-	-	0.1	-	0.2	0.2	0.2	0.1	0.8	1.2	1.4	0.9	2.0	3.8	1.6	60	0.4	0.2	0.0
▲	-	-	-	-	-	0.1	-	-	0.1	0.2	0.5	0.3	1.1	1.2	2.7	2.7	4.7	3.7	2.9	171	0.9	0.4	0.0
ЗН інших ендокринних залоз																				C74-C75			
▼	-	0.1	-	0.1	-	0.1	0.1	0.1	0.1	0.1	0.3	0.7	1.4	0.3	2.2	2.0	0.9	0.5	2.4	67	0.4	0.3	0.0
▲	0.5	-	-	0.1	-	-	0.1	-	0.1	0.3	0.1	0.1	0.5	0.5	0.6	0.3	0.1	0.2	-	37	0.2	0.1	0.0
Лімфоми та інші імуні- та лімфопроліферативні новоутворення																				C81-C85, C88, C90			
▼	-	0.6	0.2	0.6	0.4	0.8	1.5	1.7	3.4	3.5	6.0	8.3	11.4	13.7	28.0	21.9	22.6	11.5	8.8	995	5.9	4.3	0.1
▲	0.5	-	0.1	-	0.5	0.9	0.8	2.1	1.6	2.3	3.3	4.7	5.5	9.6	14.1	15.6	15.3	9.4	5.3	908	4.7	2.6	0.1
з них: Лімфома Ходжкіна																				C81			
▼	-	0.1	-	0.2	0.2	0.4	0.7	0.7	1.2	1.3	1.2	1.1	1.1	1.2	2.2	0.4	2.0	0.5	1.6	141	0.8	0.7	0.1
▲	-	-	-	-	0.3	0.5	0.4	0.9	0.3	0.6	0.9	0.4	0.6	0.5	1.0	1.0	1.2	0.4	0.7	107	0.6	0.4	0.0
Неходжкінські лімфоми																				C82-C83, C85			
▼	-	0.5	0.2	0.4	0.1	0.3	0.7	1.0	1.9	1.8	3.2	5.1	6.7	7.7	14.6	14.9	13.0	8.2	5.6	570	3.4	2.4	0.1
▲	0.5	-	0.1	-	0.1	0.3	0.3	1.1	1.0	1.5	1.5	2.8	3.2	4.4	6.9	8.0	9.4	5.9	4.3	494	2.5	1.3	0.1
Множинна мієлома та злоскісні плазмоклітинні новоутворення																				C90			
▼	-	-	-	-	-	-	-	-	0.2	0.2	1.5	1.7	3.1	4.3	9.4	5.2	6.6	2.7	0.8	235	1.4	1.0	0.1
▲	-	-	-	-	-	-	-	0.1	0.1	0.1	0.9	1.3	1.6	4.5	5.3	6.1	4.2	2.6	0.2	274	1.4	0.7	0.0
Лейкемії																				C91-C95			
▼	1.9	1.3	1.4	1.0	0.6	1.2	1.0	0.9	1.6	2.2	5.0	5.7	8.2	15.0	25.4	23.8	28.1	27.4	21.6	963	5.7	4.2	0.1
▲	0.5	2.1	1.0	0.6	0.6	0.5	0.6	1.2	1.5	1.6	2.2	4.0	6.1	7.9	11.6	11.0	16.1	8.3	6.0	811	4.2	2.5	0.1
з них: Лейкемія лімфоїдна																				C91			
▼	0.9	1.1	0.9	0.7	0.4	0.8	0.4	0.4	0.6	0.7	1.9	2.4	3.1	7.3	12.6	12.0	16.8	16.4	12.0	476	2.8	2.1	0.1
▲	0.5	1.8	0.6	0.4	0.2	-	0.1	0.3	0.2	0.3	0.9	1.4	2.7	3.0	5.3	5.2	8.3	5.0	4.1	367	1.9	1.1	0.1
Лейкемія мієлоїдна																				C92			
▼	0.5	0.2	0.3	0.2	0.2	0.2	0.4	0.4	0.8	1.0	2.1	2.6	3.3	5.0	7.5	7.0	6.6	6.6	7.2	316	1.9	1.4	0.1
▲	-	0.4	0.2	0.1	0.2	0.2	0.3	0.5	0.9	0.9	1.0	1.9	2.3	3.4	3.5	3.6	5.5	1.5	1.0	292	1.5	0.9	0.1
Лейкемія неуточненого клітинного типу																				C95			
▼	0.5	-	0.1	-	-	0.1	0.1	-	0.2	0.4	0.4	0.5	1.3	1.6	3.8	2.4	2.9	2.2	2.4	107	0.6	0.5	0.0
▲	-	-	0.1	0.1	0.1	0.3	0.1	0.2	0.1	0.3	0.2	0.2	0.4	0.7	1.2	1.3	1.3	0.9	0.7	79	0.4	0.2	0.0
ЗН неуточної первинної локалізації																				C77-C80			
▼	0.5	-	-	-	-	0.1	0.3	0.7	1.1	2.3	6.1	13.8	22.6	28.8	38.0	45.2	46.0	36.7	30.4	1572	9.3	6.2	0.2
▲	-	-	-	-	-	0.1	0.1	0.1	1.5	1.2	3.6	4.6	7.0	11.3	16.7	20.9	24.4	19.0	13.9	1124	5.8	2.7	0.1

"-" - випадків не зареєстровано; 0.0 - показник менший за 0,05

* - кількість випадків не охоплює дані Донецької, Луганської областей, АР Крим та м. Севастополь