

Table 1 – General rates, 2023

Rate	👤👤	👤	👤
All sites		C00-C96	
Incidence: number of new cases*	122842	58670	64172
Mortality: number of new cases*	44523	25255	19268
Lived less than 1 year since the diagnosis in 2023, %	21.9	28.2	16.1
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.8	1.1	0.5
Microscopically verified diagnoses, %	87.0	84.4	89.4
Diagnoses verified with histology, %	81.8	79.1	84.3
Unspecified morphology, %	2.6	2.8	2.4
Patients diagnosed during the preventive medical examinations, %	12.8	8.8	16.5
Received anti-cancer treatment of patients diagnosed for the first time, %	75.2	71.3	78.7
- surgical treatment only, %	25.1	23.3	26.8
- combined or complex treatment, %	24.1	17.0	30.5
Incidence of children population (aged 0-17 years): number of new cases*	582	321	261
Mortality of children population (aged 0-17 years): number of new cases*	89	44	45
All sites, non-melanoma of skin excluded		C00-C96 (C44, C46.0 excluded)	
Incidence: number of new cases*	108728	52676	56052
Mortality: number of new cases*	44081	25024	19057
Lived less than 1 year since the diagnosis in 2023, %	24.4	31.0	18.2
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.9	1.2	0.6
Microscopically verified diagnoses, %	85.8	83.0	88.4
Diagnoses verified with histology, %	81.7	78.4	84.8
Unspecified morphology, %	2.7	2.9	2.5
Patients diagnosed during the preventive medical examinations, %	10.2	6.1	14.1
Received anti-cancer treatment of patients diagnosed for the first time, %	73.4	69.3	77.2
- surgical treatment only, %	19.6	18.2	21.0
- combined or complex treatment, %	26.5	18.3	34.2
Incidence of children population (aged 0-17 years): number of new cases*	580	320	260
Mortality of children population (aged 0-17 years): number of new cases*	89	44	45
All sites, children population (aged 0-17 years)		C00-C96	
Incidence: number of new cases*	582	321	261
Mortality: number of new cases*	89	44	45
Lived less than 1 year since the diagnosis in 2023, %	9.9	9.1	10.8
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.2	0.3	0.0
Microscopically verified diagnoses, %	94.5	94.4	94.6
Diagnoses verified with histology, %	79.7	78.8	80.8
Unspecified morphology, %	2.4	1.0	4.0
Patients diagnosed during the preventive medical examinations, %	6.4	5.0	8.0
Received anti-cancer treatment of patients diagnosed for the first time, %	82.5	82.4	82.6
- surgical treatment only, %	11.6	7.9	16.2
- combined or complex treatment, %	15.8	15.4	16.2

* - does not include cases of AR Krym and Sevastopol city

Table 1 – General rates, 2023

Rate	👤👤	👤	👤
Lip C00			
Incidence: number of new cases*	364	252	112
Mortality: number of new cases*	87	66	21
Lived less than 1 year since the diagnosis in 2023, %	7.7	8.6	5.9
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.0	0.0	0.0
Microscopically verified diagnoses, %	93.4	94.0	92.0
Diagnoses verified with histology, %	83.8	84.5	82.1
Unspecified morphology, %	2.1	1.3	3.9
Patients diagnosed during the preventive medical examinations, %	18.7	17.9	20.5
Received anti-cancer treatment of patients diagnosed for the first time, %	86.4	87.8	83.3
- surgical treatment only, %	37.3	36.9	38.2
- combined or complex treatment, %	16.7	18.5	12.7
Incidence of children population (aged 0-17 years): number of new cases*	-	-	-
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-
Oral cavity C01-C08, C46.2			
Incidence: number of new cases*	1983	1455	528
Mortality: number of new cases*	1063	863	200
Lived less than 1 year since the diagnosis in 2023, %	31.9	34.8	23.8
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.7	0.9	0.2
Microscopically verified diagnoses, %	94.3	94.7	93.0
Diagnoses verified with histology, %	85.7	85.7	85.8
Unspecified morphology, %	2.9	2.8	3.3
Patients diagnosed during the preventive medical examinations, %	5.8	5.0	8.1
Received anti-cancer treatment of patients diagnosed for the first time, %	79.5	79.5	79.7
- surgical treatment only, %	6.4	5.1	10.0
- combined or complex treatment, %	24.7	22.2	31.7
Incidence of children population (aged 0-17 years): number of new cases*	2	1	1
Mortality of children population (aged 0-17 years): number of new cases*	1	1	-
Pharynx C09-C14			
Incidence: number of new cases*	2284	1972	312
Mortality: number of new cases*	1379	1257	122
Lived less than 1 year since the diagnosis in 2023, %	37.4	3.2	256.8
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.5	0.6	0.0
Microscopically verified diagnoses, %	94.2	94.1	95.2
Diagnoses verified with histology, %	85.1	84.7	87.2
Unspecified morphology, %	2.9	3.1	1.7
Patients diagnosed during the preventive medical examinations, %	2.3	2.4	1.3
Received anti-cancer treatment of patients diagnosed for the first time, %	78.5	77.9	82.0
- surgical treatment only, %	2.2	1.9	4.4
- combined or complex treatment, %	12.9	12.2	17.7
Incidence of children population (aged 0-17 years): number of new cases*	3	3	-
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-

* - does not include cases of AR Krym and Sevastopol city

Table 1 – General rates, 2023

Rate	👤👤	👤	👤
Oesophagus			
C15			
Incidence: number of new cases*	1456	1291	165
Mortality: number of new cases*	968	867	101
Lived less than 1 year since the diagnosis in 2023, %	54.1	55.1	45.2
From among the patients diagnosed for the first time – diagnosed post mortem, %	1.3	1.2	2.7
Microscopically verified diagnoses, %	84.4	84.6	83.0
Diagnoses verified with histology, %	81.3	81.7	78.2
Unspecified morphology, %	2.7	2.6	3.6
Patients diagnosed during the preventive medical examinations, %	2.3	2.4	1.8
Received anti-cancer treatment of patients diagnosed for the first time, %	61.3	61.6	58.9
- surgical treatment only, %	4.9	4.7	6.8
- combined or complex treatment, %	12.7	12.8	11.6
Incidence of children population (aged 0-17 years): number of new cases*	-	-	-
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-
Stomach			
C16			
Incidence: number of new cases*	5392	3353	2039
Mortality: number of new cases*	3459	2164	1295
Lived less than 1 year since the diagnosis in 2023, %	46.3	46.5	45.9
From among the patients diagnosed for the first time – diagnosed post mortem, %	1.7	1.9	1.4
Microscopically verified diagnoses, %	83.8	85.4	81.2
Diagnoses verified with histology, %	82.3	83.9	79.7
Unspecified morphology, %	3.0	2.7	3.5
Patients diagnosed during the preventive medical examinations, %	3.0	2.9	3.3
Received anti-cancer treatment of patients diagnosed for the first time, %	56.4	58.0	53.7
- surgical treatment only, %	11.1	10.6	12.1
- combined or complex treatment, %	19.0	19.3	18.6
Incidence of children population (aged 0-17 years): number of new cases*	1	1	-
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-
Colon			
C18			
Incidence: number of new cases*	8103	4077	4026
Mortality: number of new cases*	3383	1740	1643
Lived less than 1 year since the diagnosis in 2023, %	25.9	27.3	24.5
From among the patients diagnosed for the first time – diagnosed post mortem, %	1.1	1.2	1.0
Microscopically verified diagnoses, %	84.3	84.7	83.9
Diagnoses verified with histology, %	83.4	83.5	83.2
Unspecified morphology, %	2.3	2.2	2.3
Patients diagnosed during the preventive medical examinations, %	4.8	4.9	4.7
Received anti-cancer treatment of patients diagnosed for the first time, %	74.9	74.8	75.1
- surgical treatment only, %	30.7	29.7	31.8
- combined or complex treatment, %	31.5	31.5	31.4
Incidence of children population (aged 0-17 years): number of new cases*	3	1	2
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-

* - does not include cases of AR Krym and Sevastopol city

Table 1 – General rates, 2023

Rate	👤👤	👤	👤
Rectum, anus			
C19-C21			
Incidence: number of new cases*	6919	3731	3188
Mortality: number of new cases*	3012	1689	1323
Lived less than 1 year since the diagnosis in 2023, %	20.9	22.4	19.1
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.7	0.6	0.8
Microscopically verified diagnoses, %	90.3	90.5	90.2
Diagnoses verified with histology, %	89.0	89.1	88.8
Unspecified morphology, %	1.9	1.9	1.8
Patients diagnosed during the preventive medical examinations, %	7.6	7.0	8.3
Received anti-cancer treatment of patients diagnosed for the first time, %	78.0	78.6	77.4
- surgical treatment only, %	14.6	13.4	16.1
- combined or complex treatment, %	35.0	35.4	34.5
Incidence of children population (aged 0-17 years): number of new cases*	1	-	1
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-
Liver			
C22			
Incidence: number of new cases*	1385	857	528
Mortality: number of new cases*	936	604	332
Lived less than 1 year since the diagnosis in 2023, %	60.0	62.5	55.8
From among the patients diagnosed for the first time – diagnosed post mortem, %	7.0	8.4	4.5
Microscopically verified diagnoses, %	55.3	55.2	55.5
Diagnoses verified with histology, %	51.5	52.3	50.2
Unspecified morphology, %	5.0	4.2	6.1
Patients diagnosed during the preventive medical examinations, %	0.7	0.7	0.8
Received anti-cancer treatment of patients diagnosed for the first time, %	24.5	24.5	24.6
- surgical treatment only, %	8.0	7.1	9.5
- combined or complex treatment, %	3.6	4.0	3.1
Incidence of children population (aged 0-17 years): number of new cases*	6	2	4
Mortality of children population (aged 0-17 years): number of new cases*	3	1	2
Gallbladder and extrahepatic ducts			
C23-C24			
Incidence: number of new cases*	731	282	449
Mortality: number of new cases*	437	171	266
Lived less than 1 year since the diagnosis in 2023, %	49.5	47.4	50.9
From among the patients diagnosed for the first time – diagnosed post mortem, %	1.6	1.9	1.5
Microscopically verified diagnoses, %	58.4	55.3	60.4
Diagnoses verified with histology, %	56.2	52.5	58.6
Unspecified morphology, %	7.0	7.1	7.0
Patients diagnosed during the preventive medical examinations, %	2.5	1.4	3.1
Received anti-cancer treatment of patients diagnosed for the first time, %	42.5	40.2	44.0
- surgical treatment only, %	19.3	16.5	21.1
- combined or complex treatment, %	10.3	11.7	9.3
Incidence of children population (aged 0-17 years): number of new cases*	-	-	-
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-

* - does not include cases of AR Krym and Sevastopol city

Table 1 – General rates, 2023

Rate	👤👤	👤	👤
Pancreas			
	C25		
Incidence: number of new cases*	3765	1971	1794
Mortality: number of new cases*	2635	1400	1235
Lived less than 1 year since the diagnosis in 2023, %	61.1	63.0	59.1
From among the patients diagnosed for the first time – diagnosed post mortem, %	3.2	3.8	2.4
Microscopically verified diagnoses, %	47.1	49.4	44.7
Diagnoses verified with histology, %	43.8	45.7	41.7
Unspecified morphology, %	9.0	8.9	9.0
Patients diagnosed during the preventive medical examinations, %	1.0	1.2	0.7
Received anti-cancer treatment of patients diagnosed for the first time, %	37.2	38.0	36.3
- surgical treatment only, %	7.7	7.4	8.0
- combined or complex treatment, %	6.6	6.6	6.5
Incidence of children population (aged 0-17 years): number of new cases*	-	-	-
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-
Larynx			
	C32		
Incidence: number of new cases*	1570	1477	93
Mortality: number of new cases*	704	669	35
Lived less than 1 year since the diagnosis in 2023, %	21.4	21.8	14.3
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.7	0.6	1.2
Microscopically verified diagnoses, %	92.6	92.5	94.6
Diagnoses verified with histology, %	88.2	88.0	90.3
Unspecified morphology, %	3.9	3.9	4.5
Patients diagnosed during the preventive medical examinations, %	4.5	4.5	3.2
Received anti-cancer treatment of patients diagnosed for the first time, %	80.1	80.2	78.6
- surgical treatment only, %	13.9	13.6	19.0
- combined or complex treatment, %	31.4	31.9	22.6
Incidence of children population (aged 0-17 years): number of new cases*	-	-	-
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-
Trachea, bronchus, lung			
	C33-C34		
Incidence: number of new cases*	9975	7793	2182
Mortality: number of new cases*	268	210	58
Lived less than 1 year since the diagnosis in 2023, %	51.6	54.2	41.8
From among the patients diagnosed for the first time – diagnosed post mortem, %	1.9	2.0	1.5
Microscopically verified diagnoses, %	66.8	66.7	67.2
Diagnoses verified with histology, %	60.0	59.6	61.3
Unspecified morphology, %	4.7	4.6	4.8
Patients diagnosed during the preventive medical examinations, %	4.1	4.0	4.3
Received anti-cancer treatment of patients diagnosed for the first time, %	51.4	51.6	50.9
- surgical treatment only, %	6.8	5.8	10.5
- combined or complex treatment, %	10.0	9.5	11.8
Incidence of children population (aged 0-17 years): number of new cases*	-	-	-
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-

* - does not include cases of AR Krym and Sevastopol city

Table 1 – General rates, 2023

Rate	👤	👤	👤
Bones, joints and articular cartilage			
C40-C41			
Incidence: number of new cases*	211	130	81
Mortality: number of new cases*	102	59	43
Lived less than 1 year since the diagnosis in 2023, %	23.5	23.6	23.3
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.5	0.8	0.0
Microscopically verified diagnoses, %	81.5	80.8	82.7
Diagnoses verified with histology, %	80.1	80.0	80.2
Unspecified morphology, %	4.7	4.8	4.5
Patients diagnosed during the preventive medical examinations, %	4.3	5.4	2.5
Received anti-cancer treatment of patients diagnosed for the first time, %	69.4	73.2	63.0
- surgical treatment only, %	19.9	23.6	13.7
- combined or complex treatment, %	18.9	17.9	20.5
Incidence of children population (aged 0-17 years): number of new cases*	30	13	17
Mortality of children population (aged 0-17 years): number of new cases*	9	4	5
Connective and soft tissue			
C46.1, C49			
Incidence: number of new cases*	637	303	334
Mortality: number of new cases*	246	126	120
Lived less than 1 year since the diagnosis in 2023, %	17.2	18.9	15.6
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.0	0.0	0.0
Microscopically verified diagnoses, %	95.0	95.7	94.3
Diagnoses verified with histology, %	92.2	92.1	92.2
Unspecified morphology, %	4.0	4.5	3.5
Patients diagnosed during the preventive medical examinations, %	7.1	8.9	5.4
Received anti-cancer treatment of patients diagnosed for the first time, %	81.1	80.7	81.4
- surgical treatment only, %	33.4	31.8	34.9
- combined or complex treatment, %	33.9	35.0	32.9
Incidence of children population (aged 0-17 years): number of new cases*	16	9	7
Mortality of children population (aged 0-17 years): number of new cases*	2	1	1
Melanoma of skin			
C43			
Incidence: number of new cases*	2919	1309	1610
Mortality: number of new cases*	696	333	363
Lived less than 1 year since the diagnosis in 2023, %	8.7	10.2	7.5
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.2	0.2	0.2
Microscopically verified diagnoses, %	98.7	98.5	98.9
Diagnoses verified with histology, %	96.7	96.9	96.6
Unspecified morphology, %	0.0	0.0	0.0
Patients diagnosed during the preventive medical examinations, %	22.0	21.1	22.7
Received anti-cancer treatment of patients diagnosed for the first time, %	89.4	89.2	89.6
- surgical treatment only, %	66.2	61.7	69.9
- combined or complex treatment, %	19.5	23.4	16.3
Incidence of children population (aged 0-17 years): number of new cases*	2	1	1
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-

* - does not include cases of AR Krym and Sevastopol city

Table 1 – General rates, 2023

Rate	👤👤	👤	👤
Non-melanoma of skin			
	C44, C46.0		
Incidence: number of new cases*	14114	5994	8120
Mortality: number of new cases*	442	231	211
Lived less than 1 year since the diagnosis in 2023, %	1.7	2.0	1.5
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.0	0.0	0.0
Microscopically verified diagnoses, %	96.5	96.7	96.4
Diagnoses verified with histology, %	82.7	85.3	80.8
Unspecified morphology, %	2.1	2.2	2.0
Patients diagnosed during the preventive medical examinations, %	32.4	32.3	32.5
Received anti-cancer treatment of patients diagnosed for the first time, %	89.7	89.8	89.5
- surgical treatment only, %	68.9	69.9	68.1
- combined or complex treatment, %	4.7	5.4	4.2
Incidence of children population (aged 0-17 years): number of new cases*	2	1	1
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-
Breast			
	C50		
Incidence: number of new cases*	14366	110	14256
Mortality: number of new cases*	3781	40	3741
Lived less than 1 year since the diagnosis in 2023, %	6.7	12.7	6.7
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.2	1.0	0.1
Microscopically verified diagnoses, %	94.2	90.9	94.2
Diagnoses verified with histology, %	92.1	89.1	92.1
Unspecified morphology, %	2.2	0.0	2.2
Patients diagnosed during the preventive medical examinations, %	24.0	17.3	24.1
Received anti-cancer treatment of patients diagnosed for the first time, %	86.0	82.4	86.0
- surgical treatment only, %	9.4	17.6	9.3
- combined or complex treatment, %	55.1	40.2	55.2
Incidence of children population (aged 0-17 years): number of new cases*	-	-	-
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-
Cervix uteri			
	C53		
Incidence: number of new cases*	3393	-	3393
Mortality: number of new cases*	1147	-	1147
Lived less than 1 year since the diagnosis in 2023, %	14.4	-	14.4
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.2	-	0.2
Microscopically verified diagnoses, %	96.1	-	96.1
Diagnoses verified with histology, %	93.3	-	93.3
Unspecified morphology, %	2.4	-	2.4
Patients diagnosed during the preventive medical examinations, %	19.8	-	19.8
Received anti-cancer treatment of patients diagnosed for the first time, %	80.6	-	80.6
- surgical treatment only, %	13.5	-	13.5
- combined or complex treatment, %	23.7	-	23.7
Incidence of children population (aged 0-17 years): number of new cases*	-	-	-
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-

* - does not include cases of AR Krym and Sevastopol city

Table 1 – General rates, 2023

Rate	👤	👤	👤
Corpus uteri			
C54			
Incidence: number of new cases*	6501	-	6501
Mortality: number of new cases*	1218	-	1218
Lived less than 1 year since the diagnosis in 2023, %	7.9	-	7.9
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.2	-	0.2
Microscopically verified diagnoses, %	97.2	-	97.2
Diagnoses verified with histology, %	96.1	-	96.1
Unspecified morphology, %	1.3	-	1.3
Patients diagnosed during the preventive medical examinations, %	20.1	-	20.1
Received anti-cancer treatment of patients diagnosed for the first time, %	87.3	-	87.3
- surgical treatment only, %	32.4	-	32.4
- combined or complex treatment, %	47.8	-	47.8
Incidence of children population (aged 0-17 years): number of new cases*	-	-	-
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-
Ovary			
C56			
Incidence: number of new cases*	3026	-	3026
Mortality: number of new cases*	1285	-	1285
Lived less than 1 year since the diagnosis in 2023, %	18.5	-	18.5
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.6	-	0.6
Microscopically verified diagnoses, %	89.9	-	89.9
Diagnoses verified with histology, %	84.2	-	84.2
Unspecified morphology, %	4.9	-	4.9
Patients diagnosed during the preventive medical examinations, %	9.6	-	9.6
Received anti-cancer treatment of patients diagnosed for the first time, %	82.5	-	82.5
- surgical treatment only, %	17.6	-	17.6
- combined or complex treatment, %	48.7	-	48.7
Incidence of children population (aged 0-17 years): number of new cases*	14	-	14
Mortality of children population (aged 0-17 years): number of new cases*	1	-	1
Prostate			
C61			
Incidence: number of new cases*	8717	8717	-
Mortality: number of new cases*	2634	2634	-
Lived less than 1 year since the diagnosis in 2023, %	10.3	10.3	-
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.3	0.3	-
Microscopically verified diagnoses, %	91.8	91.8	-
Diagnoses verified with histology, %	89.9	89.9	-
Unspecified morphology, %	1.8	1.8	-
Patients diagnosed during the preventive medical examinations, %	7.4	7.4	-
Received anti-cancer treatment of patients diagnosed for the first time, %	79.2	79.2	-
- surgical treatment only, %	17.7	17.7	-
- combined or complex treatment, %	13.3	13.3	-
Incidence of children population (aged 0-17 years): number of new cases*	-	-	-
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-

* - does not include cases of AR Krym and Sevastopol city

Table 1 – General rates, 2023

Rate	👤👤	👤	👤
Kidney			
C64			
Incidence: number of new cases*	4476	2709	1767
Mortality: number of new cases*	1289	838	451
Lived less than 1 year since the diagnosis in 2023, %	17.3	18.4	15.6
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.5	0.6	0.5
Microscopically verified diagnoses, %	76.9	77.2	76.4
Diagnoses verified with histology, %	76.3	76.7	75.8
Unspecified morphology, %	3.1	3.4	2.6
Patients diagnosed during the preventive medical examinations, %	9.8	10.5	8.7
Received anti-cancer treatment of patients diagnosed for the first time, %	76.5	76.6	76.4
- surgical treatment only, %	58.5	56.3	62.0
- combined or complex treatment, %	9.5	10.7	7.7
Incidence of children population (aged 0-17 years): number of new cases*	28	17	11
Mortality of children population (aged 0-17 years): number of new cases*	1	-	1
Urinary bladder			
C67			
Incidence: number of new cases*	4025	3290	735
Mortality: number of new cases*	1257	1063	194
Lived less than 1 year since the diagnosis in 2023, %	15.2	15.4	14.4
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.6	0.6	0.5
Microscopically verified diagnoses, %	88.9	89.5	86.1
Diagnoses verified with histology, %	86.1	86.7	83.8
Unspecified morphology, %	3.5	3.6	3.2
Patients diagnosed during the preventive medical examinations, %	7.3	7.3	7.2
Received anti-cancer treatment of patients diagnosed for the first time, %	82.0	82.5	79.8
- surgical treatment only, %	41.4	41.5	41.0
- combined or complex treatment, %	33.4	33.6	32.5
Incidence of children population (aged 0-17 years): number of new cases*	-	-	-
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-
Brain			
C71			
Incidence: number of new cases*	1448	790	658
Mortality: number of new cases*	890	488	402
Lived less than 1 year since the diagnosis in 2023, %	39.7	38.7	40.9
From among the patients diagnosed for the first time – diagnosed post mortem, %	2.1	2.2	1.9
Microscopically verified diagnoses, %	71.3	73.2	69.1
Diagnoses verified with histology, %	70.7	72.8	68.2
Unspecified morphology, %	3.6	3.8	3.3
Patients diagnosed during the preventive medical examinations, %	0.9	0.9	0.9
Received anti-cancer treatment of patients diagnosed for the first time, %	65.3	67.2	63.0
- surgical treatment only, %	15.0	15.0	15.0
- combined or complex treatment, %	34.7	36.3	32.9
Incidence of children population (aged 0-17 years): number of new cases*	89	55	34
Mortality of children population (aged 0-17 years): number of new cases*	26	15	11

* - does not include cases of AR Krym and Sevastopol city

Table 1 – General rates, 2023

Rate	👤👤	👤	👤
Thyroid C73			
Incidence: number of new cases*	3166	699	2467
Mortality: number of new cases*	189	56	133
Lived less than 1 year since the diagnosis in 2023, %	2.5	3.9	2.1
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.1	0.3	0.0
Microscopically verified diagnoses, %	98.5	98.0	98.7
Diagnoses verified with histology, %	96.4	95.7	96.6
Unspecified morphology, %	1.2	0.9	1.3
Patients diagnosed during the preventive medical examinations, %	26.6	29.0	25.9
Received anti-cancer treatment of patients diagnosed for the first time, %	93.0	92.0	93.3
- surgical treatment only, %	56.0	52.6	57.0
- combined or complex treatment, %	31.6	33.7	31.1
Incidence of children population (aged 0-17 years): number of new cases*	43	11	32
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-
Hodgkin's lymphoma C81			
Incidence: number of new cases*	661	330	331
Mortality: number of new cases*	139	82	57
Lived less than 1 year since the diagnosis in 2023, %	8.9	8.4	9.3
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.3	0.6	0.0
Microscopically verified diagnoses, %	100.0	100.0	100.0
Diagnoses verified with histology, %	94.3	95.8	92.7
Unspecified morphology, %	0.0	0.0	0.0
Patients diagnosed during the preventive medical examinations, %	7.6	7.6	7.6
Received anti-cancer treatment of patients diagnosed for the first time, %	84.5	84.4	84.6
- surgical treatment only, %	0.3	0.3	0.3
- combined or complex treatment, %	6.7	7.8	5.5
Incidence of children population (aged 0-17 years): number of new cases*	46	21	25
Mortality of children population (aged 0-17 years): number of new cases*	1	-	1
Non-Hodgkin's lymphoma C82-C86			
Incidence: number of new cases*	2122	1086	1036
Mortality: number of new cases*	693	356	337
Lived less than 1 year since the diagnosis in 2023, %	21.9	21.0	22.7
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.5	0.5	0.4
Microscopically verified diagnoses, %	99.6	99.6	99.5
Diagnoses verified with histology, %	91.5	91.8	91.2
Unspecified morphology, %	0.0	0.0	0.0
Patients diagnosed during the preventive medical examinations, %	4.6	5.4	3.8
Received anti-cancer treatment of patients diagnosed for the first time, %	81.2	82.0	80.3
- surgical treatment only, %	4.1	4.5	3.6
- combined or complex treatment, %	8.1	9.5	6.7
Incidence of children population (aged 0-17 years): number of new cases*	22	18	4
Mortality of children population (aged 0-17 years): number of new cases*	6	5	1

* - does not include cases of AR Krym and Sevastopol city

Table 1 – General rates, 2023

Rate	👤👤	👤	👤
Multiple myeloma			
	C90		
Incidence: number of new cases*	881	373	508
Mortality: number of new cases*	372	161	211
Lived less than 1 year since the diagnosis in 2023, %	25.2	28.5	22.7
From among the patients diagnosed for the first time – diagnosed post mortem, %	1.0	0.0	1.7
Microscopically verified diagnoses, %	98.9	98.9	98.8
Diagnoses verified with histology, %	68.7	70.2	67.5
Unspecified morphology, %	0.0	0.0	0.0
Patients diagnosed during the preventive medical examinations, %	5.4	7.0	4.3
Received anti-cancer treatment of patients diagnosed for the first time, %	84.4	86.9	82.6
- surgical treatment only, %	0.2	0.3	0.2
- combined or complex treatment, %	3.9	5.1	2.9
Incidence of children population (aged 0-17 years): number of new cases*	-	-	-
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-
Leukaemia			
	C91-C95		
Incidence: number of new cases*	2663	1443	1220
Mortality: number of new cases*	924	543	381
Lived less than 1 year since the diagnosis in 2023, %	24.1	25.8	22.0
From among the patients diagnosed for the first time – diagnosed post mortem, %	1.2	1.3	1.1
Microscopically verified diagnoses, %	100.0	99.9	100.0
Diagnoses verified with histology, %	64.3	63.6	65.0
Unspecified morphology, %	0.0	0.0	0.0
Patients diagnosed during the preventive medical examinations, %	5.6	6.7	4.3
Received anti-cancer treatment of patients diagnosed for the first time, %	72.9	73.3	72.4
- surgical treatment only, %	0.4	0.2	0.5
- combined or complex treatment, %	1.0	0.8	1.2
Incidence of children population (aged 0-17 years): number of new cases*	192	112	80
Mortality of children population (aged 0-17 years): number of new cases*	25	10	15
Undefined primary site			
	C77-C80		
Incidence: number of new cases*	2085	1178	907
Mortality: number of new cases*	1309	788	521
Lived less than 1 year since the diagnosis in 2023, %	58.2	62.0	53.1
From among the patients diagnosed for the first time – diagnosed post mortem, %	0.7	1.1	0.1
Microscopically verified diagnoses, %	45.9	45.4	46.6
Diagnoses verified with histology, %	41.2	41.0	41.6
Unspecified morphology, %	12.5	12.0	13.2
Patients diagnosed during the preventive medical examinations, %	0.9	0.8	0.9
Received anti-cancer treatment of patients diagnosed for the first time, %	30.3	30.4	30.2
- surgical treatment only, %	6.5	5.5	7.8
- combined or complex treatment, %	6.4	6.5	6.2
Incidence of children population (aged 0-17 years): number of new cases*	2	2	-
Mortality of children population (aged 0-17 years): number of new cases*	-	-	-

* - does not include cases of AR Krym and Sevastopol city